










# 1 Foot of Sea Level Rise Sea Bright Borough

## Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes
-  1ft SLR

Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts that sea level rise as well as the proceeding projections thereafter and is centered on target municipalities.








Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


# 2 Feet of Sea Level Rise Sea Bright Borough

## Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes
-  2ft SLR

Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts that sea level rise as well as the proceeding projections thereafter and is centered on target municipalities.











Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


# 3 Feet of Sea Level Rise Sea Bright Borough

## Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes
-  3ft SLR

Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts that sea level rise as well as the proceeding projections thereafter and is centered on target municipalities.



Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis










Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community





# Category 1 SLOSH Model

## Sea Bright Borough

### Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

### Category 1 SLOSH


-  0 - 3 Feet Above Ground Level
-  3 - 6
-  6 - 9
-  > 9

Year 2010 Population: 1412

This map depicts the SLOSH model extents provided by NOAA. The depths are ranged from 0-9 or greater feet of inundation above ground level and are categorized in the legend above.



Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis










Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community





# Category 2 SLOSH Model

## Sea Bright Borough

### Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

### Category 2 SLOSH


-  0 - 3 Feet Above Ground Level
-  3 - 6
-  6 - 9
-  > 9

Year 2010 Population: 1412

This map depicts the SLOSH model extents provided by NOAA. The depths are ranged from 0-9 or greater feet of inundation above ground level and are categorized in the legend above.



Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis









Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community





# Category 3 SLOSH Model

## Sea Bright Borough

### Legend


-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

### Category 3 SLOSH


-  0 - 3 Feet Above Ground Level
-  3 - 6
-  6 - 9
-  > 9

Year 2010 Population: 1412

This map depicts the SLOSH model extents provided by NOAA. The depths are ranged from 0-9 or greater feet of inundation above ground level and are categorized in the legend above.










Map Author: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis








Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


# Marsh Retreat at 1 foot of Sea Level Rise Sea Bright Borough

## Legend

-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

## Marsh Retreat at 1ft SLR


-  Unimpeded Marsh Retreat Zone
-  Impeded Marsh Retreat Zone
-  Marsh Conversion: Unconsolidated Shore
-  Marsh Conversion: Open Water
-  Unchanged Tidal Marsh



Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts the marsh retreat caused by sea level rise centered on target municipalities.








Map Author: Rachael Sacatelli  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis








Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


# Marsh Retreat at 2 feet of Sea Level Rise Sea Bright Borough

## Legend

-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

## Marsh Retreat at 2ft SLR


-  Unimpeded Marsh Retreat Zone
-  Impeded Marsh Retreat Zone
-  Marsh Conversion: Unconsolidated Shore
-  Marsh Conversion: Open Water
-  Unchanged Tidal Marsh



Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts the marsh retreat caused by sea level rise centered on target municipalities.

Map Author: Rachael Sacatelli  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis










Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community









# Marsh Retreat at 3 feet of Sea Level Rise Sea Bright Borough

## Legend

-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

## Marsh Retreat at 3ft SLR


-  Unimpeded Marsh Retreat Zone
-  Impeded Marsh Retreat Zone
-  Marsh Conversion: Unconsolidated Shore
-  Marsh Conversion: Open Water
-  Unchanged Tidal Marsh



Year 2010 Population: 1412

According to Kenneth G. Miller et al. in the 2013 study "A Geological Perspective on Sea-Level Rise and its Impacts Along the U.S. Mid-Atlantic Coast" a probable threat is the 1ft sea level rise condition that could be expected by 2050. This map depicts the marsh retreat caused by sea level rise centered on target municipalities.








Map Author: Rachael Sacatelli  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis









Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


# FEMA's PFIRM Flood Zones for New Jersey Sea Bright Borough

## Legend

-  Municipality
-  Schools
-  Assisted Living
-  Law Enforcement
-  Hospitals
-  Fire Stations
-  Evacuation Routes

## PFIRM


-  Zone X - 0.2% Annual Chance
-  A
-  AE
-  AO
-  D
-  VE



Year 2010 Population: 1412

This map shows the extents of FEMA's latest flood insurance rate maps for the state of New Jersey. The numerical label in the zones portrays the static ABFE zone. Please refer to the index for more information.

Map Authors: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis



Sources: Esri, HERE, DeLorme, USGS, Intermap, increment P Corp., NRCAN, Esri Japan, METI, Esri China (Hong Kong), Esri (Thailand), TomTom, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community


## PFIRM Zones

Municipality	Flood Zone	Coverage (Sq. Mi.)	Percent Coverage	Municipality Size (Sq. Mi)
Sea Bright Borough	0.2 PCT ANNUAL CHANCE FLOOD HAZARD	0.04	3.04	1.22
Sea Bright Borough	AE	0.69	56.32	1.22
Sea Bright Borough	AO	0.01	1.20	1.22
Sea Bright Borough	VE	0.44	35.66	1.22



# Sandy Storm Surge


## Sea Bright Borough

### Legend

-  Municipality
-  Schools
-  Fire Stations
-  Law Enforcement
-  Assisted Living
-  Hospitals
-  Evacuation Routes

### Sandy Storm Surge

-  High: More Water
-  Low: Less Water



Year 2010 Population: 1412

This map depicts the Sandy Storm Surge extents provided by FEMA. The depths are ranged in meters of inundation above ground level and are categorized in the legend above.

Map Authors: Rachael Sacatelli and Bryan Serino  
Rutgers, New Brunswick  
Center for Remote Sensing  
and Spatial Analysis



Sources: Esri, HERE, DeLorme, TomTom, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), swisstopo, MapmyIndia, © OpenStreetMap contributors, and the GIS User Community